

Premium Drywall Products
Intex

Fasteners - Construction



V.I.P. FASTENING SYSTEMS PTY. LTD.

Head Office: 13 – 15 Mavis Street, Revesby NSW 2212


Tel: (02) 9792 3820

Fax: (02) 9792 2597

Email: sales@vipfast.com.au

Website: www.vipfast.com.au

| | PRODUCT CODE | DESCRIPTION | SIZE MM | PACK SIZE | PRICE PER PACK | QTY. PURCHASE (PACKS) | QTY. PURCHASE PRICE PER PACK |
|--|--------------|---|---------|-----------|----------------|-----------------------|------------------------------|
| STAPLES | | | | | | | |
|  | 9AR21 | PlasterX Staples to suit Arrow JT21 | 8 | 1,000 | 3.40 | 100 | 3.20 |
|  | 9AR08 | PlasterX Staples to suit Arrow T50/T55 Rapid 14/34/44 | 8 | 1,000 | 3.10 | 100 | 2.95 |
| | 9AR10 | PlasterX Staples to suit Arrow T50/T55 Rapid 34/44 | 10 | 1,000 | 3.35 | 100 | 3.15 |
| | 9AR12 | PlasterX Staples to suit Arrow T50/T55 Rapid 34/44 | 12 | 1,000 | 3.45 | 100 | 3.25 |
|  | 9A21 | Arrow Staples to suit JT 21 | 8 | 1,000 | 5.00 | 50 | 4.75 |
|  | 9A08 | Arrow Staples to suit T50/T55 | 8 | 1,250 | 6.70 | 80 | 6.35 |
| | 9A10 | Arrow Staples to suit T50/T55 | 10 | 1,250 | 7.00 | 80 | 6.65 |
| | 9A12 | Arrow Staples to suit T50/T55 | 12 | 1,250 | 7.55 | 80 | 7.15 |
| | 9A14 | Arrow Staples to suit T50/T55 | 14 | 1,250 | 8.10 | 80 | 7.70 |
|  | 9B01 | Bostich Staples to suit T58 | 10 | 1,000 | 7.20 | 20 | 6.95 |
| | 9B05 | Bostich Staples to suit T58 (bulk) | 10 | 5,000 | 29.60 | 10 | 28.90 |
|  | 9R08 | Rapid Staples to suit 14/34/44 | 8 | 2,000 | 10.60 | 50 | 10.05 |
| | 9R08B | Rapid Staples to suit 14/34/44 (bulk) | 8 | 5,000 | 19.50 | 20 | 18.55 |
| | 9R10 | Rapid Staples to suit 34/44 | 10 | 2000 | 10.80 | 50 | 10.25 |
| | 9R10B | Rapid Staples to suit 34/44 (bulk) | 10 | 5000 | 21.50 | 20 | 20.40 |
| | 9R12 | Rapid Staples to suit 34/44 | 12 | 2000 | 10.90 | 50 | 10.35 |
| Staple Guns Refer Tools & Equipment Section Page 150 | | | | | | | |



| | PRODUCT CODE | DESCRIPTION | | | BOX QTY. | PRICE PER 1,000 | OUTER CARTON QTY. | OUTER CARTON QTY. PRICE PER 1,000 |
|--|--|------------------------------------|--|--------|----------|-----------------|-------------------|-----------------------------------|
|  | RIVETS | | | | | | | |
| | <i>A general purpose aluminium rivet with steel mandrel for fastening metal sections together.</i> | | | | | | | |
| | 9R42 | Aluminium Rivets Steel Mandrel 4-2 | | 3 x 6 | 1000 | 13.80 | 10,000 | 12.45 |
| | 9R43 | Aluminium Rivets Steel Mandrel 4-3 | | 3 x 8 | 1000 | 14.40 | 10,000 | 12.95 |
| | 9R44 | Aluminium Rivets Steel Mandrel 4-4 | | 3 x 10 | 1000 | 14.95 | 10,000 | 13.50 |

Rivet Pliers Refer Tools & Equipment Section Page 139

| | PRODUCT CODE | DESCRIPTION | HOLE SIZE MM | LENGTH MM | BOX QTY. | PRICE PER 100 (BROKEN OUTER CARTON) | OUTER CARTON QTY. | OUTER CARTON QTY. PRICE PER 100 |
|--|---|--------------------------------|--------------|-----------|----------|-------------------------------------|-------------------|---------------------------------|
|  | SLEEVE ANCHORS - HEX HEAD | | | | | | | |
| | <i>A mild steel gold passivated fixing for masonry and concrete.</i> | | | | | | | |
| | 9HS635 | Hexagonal Head Sleeve Anchor | 6.5 | 35 | 100 | 14.00 | 1,000 | 12.60 |
| | 9HS1050 | Hexagonal Head Sleeve Anchor | 10.0 | 50 | 50 | 28.70 | 500 | 25.90 |
| | 9HS1060 | Hexagonal Head Sleeve Anchor | 10.0 | 60 | 50 | 31.50 | 500 | 28.40 |
| | 9HS1077 | Hexagonal Head Sleeve Anchor | 10.0 | 77 | 50 | 35.40 | 500 | 31.90 |
|  | SLEEVE ANCHORS - COUNTERSUNK HEAD | | | | | | | |
| | <i>A mild steel gold passivated fixing for masonry and concrete where a flush finish is required.</i> | | | | | | | |
| | 9CS655 | Countersunk Head Sleeve Anchor | 6.5 | 55 | 100 | 39.45 | 1,000 | 35.50 |
| | 9CS675 | Countersunk Head Sleeve Anchor | 6.5 | 75 | 100 | 42.75 | 1,000 | 38.50 |
| | 9CS1075 | Countersunk Head Sleeve Anchor | 10.0 | 75 | 50 | 68.70 | 500 | 61.80 |
|  | SUSPENSION ANCHORS - SLEEVE TYPE | | | | | | | |
| | <i>Designed to provide rod suspension from concrete.</i> | | | | | | | |
| | 9S625 | Suspension Anchor Sleeve Type | 6.5 | 25 | 100 | 30.80 | 1,000 | 27.80 |
| | 9S640 | Suspension Anchor Sleeve Type | 6.5 | 40 | 50 | 32.00 | 1,000 | 28.80 |
|  | SUSPENSION ANCHOR - WEDGE TYPE | | | | | | | |
| | <i>A one piece anchor that only needs to be hammered into hole and pulled back to set.</i> | | | | | | | |
| | 9S660 | Suspension Anchor Wedge Type | 6.0 | 60 | 100 | 29.80 | 1,000 | 26.80 |

| | PRODUCT CODE | DESCRIPTION | HOLE SIZE MM | LENGTH MM | BOX QTY. | PRICE PER 100 (BROKEN OUTER CARTON) | OUTER CARTON QTY. | OUTER CARTON QTY. PRICE PER 100 |
|--|--------------|--|--------------|-----------|----------|-------------------------------------|-------------------|---------------------------------|
| TIE WIRE SPIKE | | | | | | | | |
|  | | <i>A one piece anchor that only has to be hammered into 5mm or 6.5mm diameter hole in concrete providing a suspension point for tie wire or 5mm rod.</i> | | | | | | |
| | 2H7A | Tie Wire Spike - suits 5mm rod | 5.0 | 32 | 100 | 57.60 | 1,000 | 54.75 |
| | 2H7B | Tie Wire Spike - suits 5mm rod | 6.5 | 32 | 100 | 97.40 | 1,000 | 92.55 |
| METAL PIN ANCHORS | | | | | | | | |
|  | | <i>An all metal, corrosion resistant anchor having superior holding power and fire resistance to nylon anchors.</i> | | | | | | |
| | 9M522 | Metal Pin Anchor Mushroom Head | 5.0 | 22 | 100 | 14.65 | 1,000 | 13.20 |
| | 9M632 | Metal Pin Anchor Mushroom Head | 6.5 | 32 | 100 | 19.90 | 1,000 | 17.90 |
| | 9M650 | Metal Pin Anchor Mushroom Head | 6.5 | 50 | 100 | 29.65 | 1,000 | 26.65 |
| NYLON NAIL-IN ANCHORS | | | | | | | | |
|  | | <i>Provides an easy yet secure fastening into concrete and masonry. Available in round or mushroom heads. A premium quality, flexible nylon body with yellow zinc coated steel nail.</i> | | | | | | |
| | 9N525 | Nylon Anchor Round Head | 5.0 | 25 | 100 | 5.75 | 1,000 | 5.20 |
| | 9N540 | Nylon Anchor Round Head | 5.0 | 40 | 100 | 6.60 | 1,000 | 5.95 |
| | 9N625 | Nylon Anchor Round Head | 6.5 | 25 | 100 | 6.25 | 1,000 | 5.65 |
| | 9N640 | Nylon Anchor Round Head | 6.5 | 40 | 100 | 7.70 | 1,000 | 6.95 |
| | 9N650 | Nylon Anchor Round Head | 6.5 | 50 | 100 | 10.60 | 1,000 | 9.60 |
|  | 9N525M | Nylon Anchor Mushroom Head | 5.0 | 25 | 100 | 5.75 | 1,000 | 5.20 |
| | 9N540M | Nylon Anchor Mushroom Head | 5.0 | 40 | 100 | 6.95 | 1,000 | 6.25 |
| | 9N625M | Nylon Anchor Mushroom Head | 6.5 | 25 | 100 | 6.25 | 1,000 | 5.65 |
| | 9N640M | Nylon Anchor Mushroom Head | 6.5 | 40 | 100 | 7.70 | 1,000 | 6.95 |
| | 9N650M | Nylon Anchor Mushroom Head | 6.5 | 50 | 100 | 10.60 | 1,000 | 9.60 |
| | 9N675M | Nylon Anchor Mushroom Head | 6.5 | 75 | 50 | 19.80 | 500 | 17.80 |
| SPAGHETTI | | | | | | | | |
|  | | <i>Provides an economical fastening point into concrete and solid masonry. Comes in continuous roll. Colour coded for required diameter.</i> | | | | | | |
| | 9SG50 | Plastic Spaghetti - green | 5.0 | 50m | 1 | 30.85 | 10 | 27.75 |
| | 9SR50 | Plastic Spaghetti - red | 6.0 | 50m | 1 | 30.85 | 10 | 27.75 |

| | PRODUCT CODE | DESCRIPTION | HOLE SIZE MM | LENGTH MM | BOX QTY. | PRICE PER 100 (BROKEN OUTER CARTON) | OUTER CARTON QTY. | OUTER CARTON QTY. PRICE PER 100 |
|--|--------------|---|--------------|-----------|----------|-------------------------------------|-------------------|---------------------------------|
| MICKEY PINS | | | | | | | | |
|  | | <i>Fine shank masonry nails with washer, for hammering into concrete.</i> | | | | | | |
| | 9MP20 | Fine Shank Masonry Nail with Washer | 2.5 x 20 | | 500 | 5.50 | 5,000 | 4.95 |
| | 9MP25 | Fine Shank Masonry Nail with Washer | 2.5 x 25 | | 500 | 5.95 | 5,000 | 5.40 |
| Hammer Drive Tools Refer Tools & Equipment Section Page 119 | | | | | | | | |
| MASONRY NAILS | | | | | | | | |
|  | | <i>Nails for hammering into concrete.</i> | | | | | | |
| | 9CN25 | Knurled Shank Masonry Nails | 2.5 x 25 | | 100 | 4.95 | 1,000 | 4.65 |
| | 9CN40 | Knurled Shank Masonry Nails | 3.0 x 40 | | 100 | 6.75 | 1,000 | 6.40 |
| WEDGE NUTS | | | | | | | | |
|  | | <i>Designed for threaded rod suspension from "Bondek" roofing with no drilling required.</i> | | | | | | |
| | 9WN06 | Suspension Nut for "Bondek" Decking 6mm Thread | | | 100 | 99.80 | 500 | 91.80 |
| PLASTERBOARD ANCHORS | | | | | | | | |
|  | | <i>One piece hollow body self drilling anchors designed for use in plasterboard to provide a fastening point.</i> | | | | | | |
| | 9PAZ1 | Self Drilling Anchor Metal Alloy | | | 100 | 21.50 | 1,000 | 19.35 |
| THREADED ROD | | | | | | | | |
|  | | <i>Threaded Rod Available in both Metric & Imperial Threads</i> | | | | | | |
| | | | | | | | | |

| | PRODUCT CODE | DESCRIPTION | HOLE SIZE MM | LENGTH MM | BOX QTY. | PRICE PER 100 (BROKEN OUTER CARTON) | OUTER CARTON QTY. | OUTER CARTON QTY. PRICE PER 100 |
|--|--------------|---|--------------|-----------|----------|-------------------------------------|-------------------|---------------------------------|
| THREADED SPIKE | | | | | | | | |
|  | | <i>Fastens into concrete leaving the stud protruding for screwing batten wall clips onto.</i> | | | | | | |
| | 2H8 | Spike with 1/4" UNC Male Thread | 6.5 | 56 | 100 | 83.75 | 1,000 | 75.40 |
| PIPE SPIKE | | | | | | | | |
|  | | <i>Fastens into concrete and has internal thread for threaded rod to screw into.</i> | | | | | | |
| | 2H10B | Pipe Spike with 6mm Internal Thread | 5.0 | | 100 | 73.25 | 1,000 | 69.60 |



| | PRODUCT CODE | DESCRIPTION | | | BOX QTY. | PRICE PER 100 (BROKEN OUTER CARTON) | OUTER CARTON QTY. | OUTER CARTON QTY. PRICE PER 100 |
|----------------------------|--------------|----------------------|--|--|----------|-------------------------------------|-------------------|---------------------------------|
| SUSPENSION BRACKETS | | | | | | | | |
| | 2H1 | Rod Clip | | | 100 | 27.00 | 1,000 | 26.00 |
| | 2H2 | Rod Clip Right Angle | | | 100 | 27.00 | 1,000 | 26.00 |
| | 2VF | Purlin Clip (VF1) | | | 100 | 31.00 | 1,000 | 29.00 |



| | AP300 | AP900 | DY300M | DY300 | DY400 (7MM MAX. LENGTH) | DY441 | DY480 | MS75 | SL75 | RS500 | PX1800 | ST5A | TS750 | TS750P | DA0 (6MM MAX. LENGTH) | DA0 | D200 | JP075 | EP360 | BE70200 | EP600 |
|--|-------|-------|--------|-------|-------------------------|-------|--------------|---------------|--------|--------|--------|--------|--------|--------|-----------------------|--------|--------|-------|-------|---------|-------|
| Fastener Load Type | Intex | Intex | Hilti | Hilti | Hilti | Hilti | Hilti Pnutek | Macsim Pnutek | Macsim | Powers | Powers | Ramset | Ramset | Ramset | Ramset | Ramset | Ramset | Reid | Reid | Reid | Reid |
| FASTENERS - POWDER ACTUATED SELECTION GUIDE | | | | | | | | | | | | | | | | | | | | | |
| Drive Pins - 8mm Head | ■ | ■ | ■ | ■ | ■ | ■ | | ■ | ■ | ■ | | ■ | ■ | ■ | ■ | ■ | | | ■ | ■ | |
| Washed Drive Pins - 8mm Head | ■ | ■ | ■ | ■ | ■ | ■ | | ■ | ■ | ■ | | ■ | ■ | ■ | ■ | ■ | | | ■ | ■ | |
| Angle Clip Assemblies - 8mm Head | ■ | ■ | ■ | ■ | ■ | ■ | | ■ | ■ | ■ | | ■ | ■ | ■ | ■ | ■ | | | ■ | ■ | |
| Threaded Studs | ■ | ■ | ■ | ■ | ■ | ■ | | ■ | ■ | ■ | | ■ | ■ | ■ | ■ | ■ | | | ■ | ■ | |
| Threaded Clip Assemblies | ■ | | ■ | ■ | ■ | ■ | | ■ | ■ | ■ | | ■ | ■ | ■ | ■ | ■ | | | ■ | ■ | |
| Drive Pins - 1/4" Head | | | | | | | | | | | ■ | | | | | | | ■ | | | ■ |
| Collated Drive Pins - 8mm Head | | ■ | ■ | | ■ | ■ | | | | | | | | | | | | | | | |
| Drive Pins - NK Series | | | | | | | ■ | | | | | | | | | | | | | | |
| .27 Calibre Safety Strip Loads | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | ■ | ■ | ■ | | | | | ■ | ■ | |
| .22 Calibre Loads | | | | | | | | | | | ■ | | | | | | | ■ | | | ■ |
| .25 Calibre Disc Loads | | | | | | | | | | | | | | ■ | ■ | ■ | | | | | |
| ■ with Magazine Attachments | | | | | | | | | | | | | | | | | | | | | |

| | PRODUCT CODE | DESCRIPTION | HEAD DIAMETER | LENGTH MM | BOX QTY | PRICE PER 100 (BROKEN OUTER CARTON) | OUTER CARTON QTY | OUTER CARTON QTY PRICE PER 100 |
|--|--------------|--|---------------|-----------|---------|-------------------------------------|------------------|--------------------------------|
| DRIVE PINS - 8MM HEAD | | | | | | | | |
|  | | <p>For use in EXP360, AP360, Hilti DX350, DX36M, DX600N, DXA40, DXA41 Ramset JP50, JP88, S75A, D60, D90, D200 Powers R3500, R35S, R7200, R2200, BETO 200, 201, etc. Designed for permanent fastening in concrete and some types of block. All pins have plastic flute over point to hold pin in tool.</p> | | | | | | |
| | 9X825 | Drive Pin for Concrete | 8mm | 25 | 100 | 8.40 | 1,000 | 7.65 |
| | 9X851 | Drive Pin for Concrete | 8mm | 51 | 100 | 11.95 | 1,000 | 10.80 |
| | 9X863 | Drive Pin for Concrete | 8mm | 63 | 100 | 14.15 | 1,000 | 12.75 |
| | 9X876 | Drive Pin for Concrete | 8mm | 76 | 100 | 15.50 | 1,000 | 13.90 |
| WASHERED DRIVE PINS - 8MM HEAD | | | | | | | | |
|  | | <p>For use in same tools as 8mm Head Drive Pins. Assembled with 20mm diameter washer. Ideal for fastening track to concrete. The washered pins with top hat are an optimum product with a plastic washer holding pin firmly in tool. Top hat stops "finger pricking" and ensures fast and accurate installation.</p> | | | | | | |
| | 9DW25 | Washer Drive Pin for Concrete | 8mm | 25 | 100 | 16.55 | 2,000 | 14.90 |
|  | 9DW25T | Washer Drive Pin with Top Hat for Concrete | 8mm (DN) | 25 | 100 | 19.60 | 2,000 | 17.60 |
| | 9DW30T | Washer Drive Pin with Top Hat for Concrete | 8mm (DN) | 32 | 100 | 23.90 | 2,000 | 21.60 |
| ANGLE CLIP ASSEMBLIES | | | | | | | | |
|  | | <p>For use in same tools as 8mm Head Drive Pins. Assembled with a right angle bracket to hang suspension rod from. Both types have a pre-assembled top hat so pin point is flat on surface when installing ensuring speed and accuracy. The 9AC25 assembly has plastic flute to hold pin in tool, while the 9AC25T assembly uses 8.5mm plastic washer.</p> | | | | | | |
| | 9AC25 | Angle Clip Assembly with Top Hat and Flute for Concrete | 8mm | 25 | 100 | 21.90 | 1,200 | 19.70 |
|  | 9AC25T | Angle Clip Assembly with Top Hat and Washer for Concrete | 8mm (DN) | 25 | 100 | 24.90 | 1,200 | 22.40 |
| THREADED CLIP ASSEMBLIES | | | | | | | | |
|  | | <p>For use in same tools as 8mm Head Drive Pins. Pin is assembled to a hanger with an internal thread for threaded rod to be screwed into. After installation the bracket is bent so rod hangs vertically.</p> | | | | | | |
| | 9TC632 | Threaded Clip Assembly for 6mm Threaded Rod | 8mm (DN) | 32 | 50 | 98.50 | 500 | 89.00 |
| | 9TC1032 | Threaded Clip Assembly for 10mm Threaded Rod | 8mm (DN) | 32 | 50 | 121.50 | 500 | 109.50 |

| | PRODUCT CODE | DESCRIPTION | HEAD DIAMETER | LENGTH MM | BOX QTY | PRICE PER 100 (BROKEN OUTER CARTON) | OUTER CARTON QTY | OUTER CARTON QTY PRICE PER 100 |
|--|--------------|---|---------------|-----------|---------|-------------------------------------|------------------|--------------------------------|
| | | DRIVE PINS - 1/4" HEAD | | | | | | |
|  | | <i>For use in J20, J20S, Omark 330, PAT660, EXP660 etc. A high velocity pin for permanent fastening to concrete. Pins have a protective cap over point.</i> | | | | | | |
| | 9X425 | Drive Pin For Concrete | 1/4" | 25 | 100 | 16.90 | 1,000 | 15.30 |
| | 9X440 | Drive Pin For Concrete | 1/4" | 40 | 100 | 19.60 | 1,000 | 17.70 |
| | 9X450 | Drive Pin For Concrete | 1/4" | 50 | 100 | 20.50 | 1,000 | 18.50 |
| | 9X465 | Drive Pin For Concrete | 1/4" | 65 | 100 | 25.80 | 1,000 | 23.20 |
| | 9X475 | Drive Pin For Concrete | 1/4" | 75 | 100 | 25.80 | 1,000 | 23.20 |
| | | COLLATED DRIVE PINS | | | | | | |
|  | | <i>Designed for use with Hilti DX36M and DXA40 or AP099 magazine tools. A collated strip of 10 pins.</i> | | | | | | |
| | 9XM22 | Collated Drive Pins For Concrete | 8mm (DN) | 22 | 100 | 17.25 | 1,000 | 15.55 |
| | 9XM27 | Collated Drive Pins For Concrete | 8mm (DN) | 27 | 100 | 19.60 | 1,000 | 17.65 |
| | 9XM32 | Collated Drive Pins For Concrete | 8mm (DN) | 32 | 100 | 20.70 | 1,000 | 18.60 |
| | 9XM52 | Collated Drive Pins For Concrete | 8mm (DN) | 52 | 100 | 24.30 | 1,000 | 21.80 |
| | 9XM72 | Collated Drive Pins For Concrete | 8mm (DN) | 72 | 100 | 30.90 | 1,000 | 27.85 |
| | | DRIVE PINS NK SERIES | | | | | | |
|  | | <i>Designed for use with Hilti DX450. For permanent fixing to concrete. Pins are assembled with 12mm metal washer.</i> | | | | | | |
| | 9NK27 | Drive Pins NK Series For Concrete | 5.6 | 27 | 100 | 20.90 | 1,000 | 18.80 |
| | 9NK32 | Drive Pins NK Series For Concrete | 5.6 | 32 | 100 | 21.70 | 1,000 | 19.50 |
| | 9NK37 | Drive Pins NK Series For Concrete | 5.6 | 37 | 100 | 23.50 | 1,000 | 21.15 |
| | 9NK52 | Drive Pins NK Series For Concrete | 5.6 | 52 | 100 | 29.00 | 1,000 | 26.20 |
| | 9NK75 | Drive Pins NK Series For Concrete | 5.6 | 75 | 100 | 35.40 | 1,000 | 31.90 |
| | | .27 CALIBRE SAFETY LOAD STRIPS | | | | | | |
|  | | <i>Designed for use with AP360, Hilti DX350, DX36M, DX450, DXA40, DXA41, Ramset S75A, Powers R3500, BETO200, EXP360, etc. The .27 calibre rim fire metal cased power loads are now collated in a longer safety plastic strip.</i> | | | | | | |
| | 9P1Y | Medium Load Yellow .27 Calibre 10 Load Strips | | | 100 | 16.50 | 5,000 | 14.90 |
| | 9P1R | Strong Load Red .27 Calibre 10 Load Strips | | | 100 | 16.50 | 5,000 | 14.90 |
| | | .22 CALIBRE SINGLE LOADS | | | | | | |
|  | | <i>Designed for use with PAT660, EXP660, Ramset J20, J20S. A single .22 calibre rim fire metal-cased power load.</i> | | | | | | |
| | 9P2Y | Medium Load Yellow .22 Calibre Standard Velocity Loads | | | 100 | 16.30 | 2,000 | 14.70 |
| | 9P2R | Strong Load Red .22 Calibre Standard Velocity Loads | | | 100 | 16.30 | 2,000 | 14.70 |
| | | .25 CALIBRE DISC LOADS | | | | | | |
|  | | <i>Designed for use with Ramset D60, D90, D200. Ten .25 calibre rim fire metal-cased power loads collated in metal disc.</i> | | | | | | |
| | 9P3Y | Medium Load Yellow .25 Calibre Disc Loads | | | 100 | 18.15 | 2,000 | 16.35 |
| | 9P3R | Strong Load Red .25 Calibre Disc Loads | | | 100 | 18.15 | 2,000 | 16.35 |
| | | For Power Actuated Tools - Refer Separate Listing Under Power Tools Page 91 | | | | | | |