




	PRODUCT CODE	DESCRIPTION	SIZE MM	PACK SIZE	PRICE PER PACK	QTY. PURCHASE (PACKS)	QTY. PURCHASE PRICE PER PACK
STAPLES							
		<i>General purpose staples to suit most popular staple guns. Particularly useful for stapling external angles and PVC mouldings to timber frames. PlasterX staples are designed to fit Arrow and Rapid staple guns and are high strength, precision made staples whilst being economically priced.</i>					
	9AR21	PlasterX Staples to suit Arrow JT21	8	1,000	3.40	100	3.20
	9AR08	PlasterX Staples to suit Arrow T50/T55 Rapid 14/34/44	8	1,000	3.10	100	2.95
	9AR10	PlasterX Staples to suit Arrow T50/T55 Rapid 34/44	10	1,000	3.35	100	3.15
	9AR12	PlasterX Staples to suit Arrow T50/T55 Rapid 34/44	12	1,000	3.45	100	3.25
	9A21	Arrow Staples to suit JT 21	8	1,000	5.00	50	4.75
	9A08	Arrow Staples to suit T50/T55	8	1,250	6.70	80	6.35
	9A10	Arrow Staples to suit T50/T55	10	1,250	7.00	80	6.65
	9A12	Arrow Staples to suit T50/T55	12	1,250	7.55	80	7.15
	9A14	Arrow Staples to suit T50/T55	14	1,250	8.10	80	7.70
	9B01	Bostich Staples to suit T58	10	1,000	7.20	20	6.95
	9B05	Bostich Staples to suit T58 (bulk)	10	5,000	29.60	10	28.90
	9R08	Rapid Staples to suit 14/34/44	8	2,000	10.60	50	10.05
	9R08B	Rapid Staples to suit 14/34/44 (bulk)	8	5,000	19.50	20	18.55
	9R10	Rapid Staples to suit 34/44	10	2000	10.80	50	10.25
	9R10B	Rapid Staples to suit 34/44 (bulk)	10	5000	21.50	20	20.40
	9R12	Rapid Staples to suit 34/44	12	2000	10.90	50	10.35
Staple Guns Refer Tools & Equipment Section Page 150							



	PRODUCT CODE	DESCRIPTION			BOX QTY.	PRICE PER 1,000	OUTER CARTON QTY.	OUTER CARTON QTY. PRICE PER 1,000
	RIVETS							
	<i>A general purpose aluminium rivet with steel mandrel for fastening metal sections together.</i>							
	9R42	Aluminium Rivets Steel Mandrel 4-2		3 x 6	1000	13.80	10,000	12.45
	9R43	Aluminium Rivets Steel Mandrel 4-3		3 x 8	1000	14.40	10,000	12.95
	9R44	Aluminium Rivets Steel Mandrel 4-4		3 x 10	1000	14.95	10,000	13.50

Rivet Pliers Refer Tools & Equipment Section Page 139

	PRODUCT CODE	DESCRIPTION	HOLE SIZE MM	LENGTH MM	BOX QTY.	PRICE PER 100 (BROKEN OUTER CARTON)	OUTER CARTON QTY.	OUTER CARTON QTY. PRICE PER 100
	SLEEVE ANCHORS - HEX HEAD							
	<i>A mild steel gold passivated fixing for masonry and concrete.</i>							
	9HS635	Hexagonal Head Sleeve Anchor	6.5	35	100	14.00	1,000	12.60
	9HS1050	Hexagonal Head Sleeve Anchor	10.0	50	50	28.70	500	25.90
	9HS1060	Hexagonal Head Sleeve Anchor	10.0	60	50	31.50	500	28.40
	9HS1077	Hexagonal Head Sleeve Anchor	10.0	77	50	35.40	500	31.90
	SLEEVE ANCHORS - COUNTERSUNK HEAD							
	<i>A mild steel gold passivated fixing for masonry and concrete where a flush finish is required.</i>							
	9CS655	Countersunk Head Sleeve Anchor	6.5	55	100	39.45	1,000	35.50
	9CS675	Countersunk Head Sleeve Anchor	6.5	75	100	42.75	1,000	38.50
	9CS1075	Countersunk Head Sleeve Anchor	10.0	75	50	68.70	500	61.80
	SUSPENSION ANCHORS - SLEEVE TYPE							
	<i>Designed to provide rod suspension from concrete.</i>							
	9S625	Suspension Anchor Sleeve Type	6.5	25	100	30.80	1,000	27.80
	9S640	Suspension Anchor Sleeve Type	6.5	40	50	32.00	1,000	28.80
	SUSPENSION ANCHOR - WEDGE TYPE							
	<i>A one piece anchor that only needs to be hammered into hole and pulled back to set.</i>							
	9S660	Suspension Anchor Wedge Type	6.0	60	100	29.80	1,000	26.80

	PRODUCT CODE	DESCRIPTION	HOLE SIZE MM	LENGTH MM	BOX QTY.	PRICE PER 100 (BROKEN OUTER CARTON)	OUTER CARTON QTY.	OUTER CARTON QTY. PRICE PER 100
TIE WIRE SPIKE								
		<i>A one piece anchor that only has to be hammered into 5mm or 6.5mm diameter hole in concrete providing a suspension point for tie wire or 5mm rod.</i>						
	2H7A	Tie Wire Spike - suits 5mm rod	5.0	32	100	57.60	1,000	54.75
	2H7B	Tie Wire Spike - suits 5mm rod	6.5	32	100	97.40	1,000	92.55
METAL PIN ANCHORS								
		<i>An all metal, corrosion resistant anchor having superior holding power and fire resistance to nylon anchors.</i>						
	9M522	Metal Pin Anchor Mushroom Head	5.0	22	100	14.65	1,000	13.20
	9M632	Metal Pin Anchor Mushroom Head	6.5	32	100	19.90	1,000	17.90
	9M650	Metal Pin Anchor Mushroom Head	6.5	50	100	29.65	1,000	26.65
NYLON NAIL-IN ANCHORS								
		<i>Provides an easy yet secure fastening into concrete and masonry. Available in round or mushroom heads. A premium quality, flexible nylon body with yellow zinc coated steel nail.</i>						
	9N525	Nylon Anchor Round Head	5.0	25	100	5.75	1,000	5.20
	9N540	Nylon Anchor Round Head	5.0	40	100	6.60	1,000	5.95
	9N625	Nylon Anchor Round Head	6.5	25	100	6.25	1,000	5.65
	9N640	Nylon Anchor Round Head	6.5	40	100	7.70	1,000	6.95
	9N650	Nylon Anchor Round Head	6.5	50	100	10.60	1,000	9.60
	9N525M	Nylon Anchor Mushroom Head	5.0	25	100	5.75	1,000	5.20
	9N540M	Nylon Anchor Mushroom Head	5.0	40	100	6.95	1,000	6.25
	9N625M	Nylon Anchor Mushroom Head	6.5	25	100	6.25	1,000	5.65
	9N640M	Nylon Anchor Mushroom Head	6.5	40	100	7.70	1,000	6.95
	9N650M	Nylon Anchor Mushroom Head	6.5	50	100	10.60	1,000	9.60
	9N675M	Nylon Anchor Mushroom Head	6.5	75	50	19.80	500	17.80
SPAGHETTI								
		<i>Provides an economical fastening point into concrete and solid masonry. Comes in continuous roll. Colour coded for required diameter.</i>						
	9SG50	Plastic Spaghetti - green	5.0	50m	1	30.85	10	27.75
	9SR50	Plastic Spaghetti - red	6.0	50m	1	30.85	10	27.75

	PRODUCT CODE	DESCRIPTION	HOLE SIZE MM	LENGTH MM	BOX QTY.	PRICE PER 100 (BROKEN OUTER CARTON)	OUTER CARTON QTY.	OUTER CARTON QTY. PRICE PER 100
MICKEY PINS								
		<i>Fine shank masonry nails with washer, for hammering into concrete.</i>						
	9MP20	Fine Shank Masonry Nail with Washer	2.5 x 20		500	5.50	5,000	4.95
	9MP25	Fine Shank Masonry Nail with Washer	2.5 x 25		500	5.95	5,000	5.40
Hammer Drive Tools Refer Tools & Equipment Section Page 119								
MASONRY NAILS								
		<i>Nails for hammering into concrete.</i>						
	9CN25	Knurled Shank Masonry Nails	2.5 x 25		100	4.95	1,000	4.65
	9CN40	Knurled Shank Masonry Nails	3.0 x 40		100	6.75	1,000	6.40
WEDGE NUTS								
		<i>Designed for threaded rod suspension from "Bondek" roofing with no drilling required.</i>						
	9WN06	Suspension Nut for "Bondek" Decking 6mm Thread			100	99.80	500	91.80
PLASTERBOARD ANCHORS								
		<i>One piece hollow body self drilling anchors designed for use in plasterboard to provide a fastening point.</i>						
	9PAZ1	Self Drilling Anchor Metal Alloy			100	21.50	1,000	19.35
THREADED ROD								
		<i>Threaded Rod Available in both Metric & Imperial Threads</i>						

	PRODUCT CODE	DESCRIPTION	HOLE SIZE MM	LENGTH MM	BOX QTY.	PRICE PER 100 (BROKEN OUTER CARTON)	OUTER CARTON QTY.	OUTER CARTON QTY. PRICE PER 100
THREADED SPIKE								
		<i>Fastens into concrete leaving the stud protruding for screwing batten wall clips onto.</i>						
	2H8	Spike with 1/4" UNC Male Thread	6.5	56	100	83.75	1,000	75.40
PIPE SPIKE								
		<i>Fastens into concrete and has internal thread for threaded rod to screw into.</i>						
	2H10B	Pipe Spike with 6mm Internal Thread	5.0		100	73.25	1,000	69.60



	PRODUCT CODE	DESCRIPTION			BOX QTY.	PRICE PER 100 (BROKEN OUTER CARTON)	OUTER CARTON QTY.	OUTER CARTON QTY. PRICE PER 100
SUSPENSION BRACKETS								
	2H1	Rod Clip			100	27.00	1,000	26.00
	2H2	Rod Clip Right Angle			100	27.00	1,000	26.00
	2VF	Purlin Clip (VF1)			100	31.00	1,000	29.00



	AP300	AP900	DY300M	DY300	DY440 (7MM MAX. LENGTH)	DY441	DY480	MS75	SL75	RS500	PX1800	ST5A	TS750	TS750P	DA0 (6MM MAX. LENGTH)	DA0	D200	JP075	EP3600	BE70200	EP660
Fastener Load Type	Intex	Intex	Hilti	Hilti	Hilti	Hilti	Hilti Pneutek	Macsim Pneutek	Macsim	Powers	Powers	Ramset	Ramset	Ramset	Ramset	Ramset	Ramset	Ramset	Reid	Reid	Reid
FASTENERS - POWDER ACTUATED SELECTION GUIDE																					
Drive Pins - 8mm Head	■	■	■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Washed Drive Pins - 8mm Head	■	■	■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Angle Clip Assemblies - 8mm Head	■	■	■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Threaded Studs	■	■	■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Threaded Clip Assemblies	■		■	■	■	■		■	■	■		■	■	■	■	■			■	■	
Drive Pins - 1/4" Head											■							■			■
Collated Drive Pins - 8mm Head		■	■		■	■															
Drive Pins - NK Series							■														
.27 Calibre Safety Strip Loads	■	■	■	■	■	■	■	■	■	■		■	■	■					■	■	
.22 Calibre Loads											■							■			■
.25 Calibre Disc Loads														■	■	■					
■ with Magazine Attachments																					

	PRODUCT CODE	DESCRIPTION	HEAD DIAMETER	LENGTH MM	BOX QTY	PRICE PER 100 (BROKEN OUTER CARTON)	OUTER CARTON QTY	OUTER CARTON QTY PRICE PER 100
DRIVE PINS - 8MM HEAD								
		<p>For use in EXP360, AP360, Hilti DX350, DX36M, DX600N, DXA40, DXA41 Ramset JP50, JP88, S75A, D60, D90, D200 Powers R3500, R35S, R7200, R2200, BETO 200, 201, etc. Designed for permanent fastening in concrete and some types of block. All pins have plastic flute over point to hold pin in tool.</p>						
	9X825	Drive Pin for Concrete	8mm	25	100	8.40	1,000	7.65
	9X851	Drive Pin for Concrete	8mm	51	100	11.95	1,000	10.80
	9X863	Drive Pin for Concrete	8mm	63	100	14.15	1,000	12.75
	9X876	Drive Pin for Concrete	8mm	76	100	15.50	1,000	13.90
WASHERED DRIVE PINS - 8MM HEAD								
		<p>For use in same tools as 8mm Head Drive Pins. Assembled with 20mm diameter washer. Ideal for fastening track to concrete. The washered pins with top hat are an optimum product with a plastic washer holding pin firmly in tool. Top hat stops "finger pricking" and ensures fast and accurate installation.</p>						
	9DW25	Washer Drive Pin for Concrete	8mm	25	100	16.55	2,000	14.90
	9DW25T	Washer Drive Pin with Top Hat for Concrete	8mm (DN)	25	100	19.60	2,000	17.60
	9DW30T	Washer Drive Pin with Top Hat for Concrete	8mm (DN)	32	100	23.90	2,000	21.60
ANGLE CLIP ASSEMBLIES								
		<p>For use in same tools as 8mm Head Drive Pins. Assembled with a right angle bracket to hang suspension rod from. Both types have a pre-assembled top hat so pin point is flat on surface when installing ensuring speed and accuracy. The 9AC25 assembly has plastic flute to hold pin in tool, while the 9AC25T assembly uses 8.5mm plastic washer.</p>						
	9AC25	Angle Clip Assembly with Top Hat and Flute for Concrete	8mm	25	100	21.90	1,200	19.70
	9AC25T	Angle Clip Assembly with Top Hat and Washer for Concrete	8mm (DN)	25	100	24.90	1,200	22.40
THREADED CLIP ASSEMBLIES								
		<p>For use in same tools as 8mm Head Drive Pins. Pin is assembled to a hanger with an internal thread for threaded rod to be screwed into. After installation the bracket is bent so rod hangs vertically.</p>						
	9TC632	Threaded Clip Assembly for 6mm Threaded Rod	8mm (DN)	32	50	98.50	500	89.00
	9TC1032	Threaded Clip Assembly for 10mm Threaded Rod	8mm (DN)	32	50	121.50	500	109.50

	PRODUCT CODE	DESCRIPTION	HEAD DIAMETER	LENGTH MM	BOX QTY	PRICE PER 100 (BROKEN OUTER CARTON)	OUTER CARTON QTY	OUTER CARTON QTY PRICE PER 100
		DRIVE PINS - 1/4" HEAD						
		<i>For use in J20, J20S, Omark 330, PAT660, EXP660 etc. A high velocity pin for permanent fastening to concrete. Pins have a protective cap over point.</i>						
	9X425	Drive Pin For Concrete	1/4"	25	100	16.90	1,000	15.30
	9X440	Drive Pin For Concrete	1/4"	40	100	19.60	1,000	17.70
	9X450	Drive Pin For Concrete	1/4"	50	100	20.50	1,000	18.50
	9X465	Drive Pin For Concrete	1/4"	65	100	25.80	1,000	23.20
	9X475	Drive Pin For Concrete	1/4"	75	100	25.80	1,000	23.20
		COLLATED DRIVE PINS						
		<i>Designed for use with Hilti DX36M and DXA40 or AP099 magazine tools. A collated strip of 10 pins.</i>						
	9XM22	Collated Drive Pins For Concrete	8mm (DN)	22	100	17.25	1,000	15.55
	9XM27	Collated Drive Pins For Concrete	8mm (DN)	27	100	19.60	1,000	17.65
	9XM32	Collated Drive Pins For Concrete	8mm (DN)	32	100	20.70	1,000	18.60
	9XM52	Collated Drive Pins For Concrete	8mm (DN)	52	100	24.30	1,000	21.80
	9XM72	Collated Drive Pins For Concrete	8mm (DN)	72	100	30.90	1,000	27.85
		DRIVE PINS NK SERIES						
		<i>Designed for use with Hilti DX450. For permanent fixing to concrete. Pins are assembled with 12mm metal washer.</i>						
	9NK27	Drive Pins NK Series For Concrete	5.6	27	100	20.90	1,000	18.80
	9NK32	Drive Pins NK Series For Concrete	5.6	32	100	21.70	1,000	19.50
	9NK37	Drive Pins NK Series For Concrete	5.6	37	100	23.50	1,000	21.15
	9NK52	Drive Pins NK Series For Concrete	5.6	52	100	29.00	1,000	26.20
	9NK75	Drive Pins NK Series For Concrete	5.6	75	100	35.40	1,000	31.90
		.27 CALIBRE SAFETY LOAD STRIPS						
		<i>Designed for use with AP360, Hilti DX350, DX36M, DX450, DXA40, DXA41, Ramset S75A, Powers R3500, BETO200, EXP360, etc. The .27 calibre rim fire metal cased power loads are now collated in a longer safety plastic strip.</i>						
	9P1Y	Medium Load Yellow .27 Calibre 10 Load Strips			100	16.50	5,000	14.90
	9P1R	Strong Load Red .27 Calibre 10 Load Strips			100	16.50	5,000	14.90
		.22 CALIBRE SINGLE LOADS						
		<i>Designed for use with PAT660, EXP660, Ramset J20, J20S. A single .22 calibre rim fire metal-cased power load.</i>						
	9P2Y	Medium Load Yellow .22 Calibre Standard Velocity Loads			100	16.30	2,000	14.70
	9P2R	Strong Load Red .22 Calibre Standard Velocity Loads			100	16.30	2,000	14.70
		.25 CALIBRE DISC LOADS						
		<i>Designed for use with Ramset D60, D90, D200. Ten .25 calibre rim fire metal-cased power loads collated in metal disc.</i>						
	9P3Y	Medium Load Yellow .25 Calibre Disc Loads			100	18.15	2,000	16.35
	9P3R	Strong Load Red .25 Calibre Disc Loads			100	18.15	2,000	16.35
		For Power Actuated Tools - Refer Separate Listing Under Power Tools Page 91						